							RM APPROVED
STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
1		315510	B. WING _			<b>0</b> <sup>,</sup>	6/22/2020
NAME OF PROVIDER OR SUPPLIER BRIDGEWAY CARE AND REHAB CENTER AT HILLSBOROUGH				395 AMWE	DRESS, CITY, STATE, ZIP CODE ILL ROAD ROUGH, NJ 08844		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORREC (EACH CORRECTIVE ACTION SHOL CROSS-REFERENCED TO THE APPR DEFICIENCY)		ULD BE	(X5) COMPLETION DATE
F 000	A COVID-19 Focused was conducted by the Health. The facility wa with 42 CFR §483.80	d Infection Control Survey e New Jersey Department of as found to be in compliance infection control regulations I the CMS and Centers for Prevention (CDC) ces to prepare for	F		DEFICIENCY)		
		SUPPLIER REPRESENTATIVE'S SIGNATUR	RE		TITLE		(X6) DATE
	cally Signed						06/24/2020

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES

PRINTED: 07/01/2020